

# **Weekly Air Monitoring Summary**

Client: Jersey City Redevelopment Authority

Location: Morris Canal Chromium Sites 121 & 207

Berry Lane Park - Jersey City, NJ

Period: January 07 through January 11, 2013

This weekly air monitoring summary report includes both tabular information and written discussions summarizing the ambient air-quality data collected in accordance with the Air Monitoring Plan for the above referenced project and reporting period. The following information is provided in the data summary:

- Table 1: Site Specific Alarm Levels;
- Table 2: Weekly Real-time PM<sub>10</sub> Data Summary;
- Table 3: Weekly Elevated Readings Summary for PM<sub>10</sub>;
- **Table 4:** Program-to-Date Average Concentrations for Time Integrated Hexavalent Chromium, Time Integrated Total Dust, and Real-time PM<sub>10</sub>;
- Figure 1: Meteorological data; and
- Figure 2: Daily/Weekly Site Map(s).

This report covers the real-time air monitoring from Monday, January 7 through Friday, January 11, 2013 at the Berry Lane Park Site (Site). Real-time air monitoring is divided into three types of monitoring including; fenceline air monitoring (at the Site boundaries), exclusion zone monitoring (at the perimeter of the exclusion zone), and meteorological monitoring (at multiple fenceline stations). Each monitoring type is described in more detail in the following sections.

Fenceline air monitoring includes five Fixed Air Monitoring (FAM) stations.

#### Fenceline air monitoring includes the following:

- Real-time 15-minute average PM<sub>10</sub> readings at each of the five fenceline locations. (All FAM stations operate 8 -10 hours during remedial activities, Monday through Friday);
- Time integrated 8 10 hour Total Dust and Hexavalent Chromium laboratory sampling at three of the FAM stations (FAM stations 1, 3, and 5 see Figure 2); and
- Time integrated 24-hour Total Dust and Hexavalent Chromium laboratory sampling at two of the FAM stations (FAM stations 2 and 4 – see Figure 2).

### Exclusion Zone air monitoring includes the following:

- Real-time 15-minute average PM<sub>10</sub> readings at each of the four exclusion zone locations (PAM stations operate 8-10 hours during remedial activities, Monday through Friday).
- Time integrated 8-hour Total Dust and Hexavalent Chromium laboratory samples at each of the four exclusion zone locations:

Meteorological measurements of 15-minute average wind speed, relative humidity, and temperature are recorded onsite at a central location.

#### **Summary of Real-Time Air Monitoring Results for PM10**

During the period of January 7 through January 11, 2013, there was one elevated 15 minute Time Weighted Average (TWA)  $PM_{10}$  reading above the Site action level. Excessive Calci-met mixing produced a cloud of dust and product towards the downwind station – PAM 4. The process was stopped and engineering controls were introduced. The next 15 minute average was back to typical site levels. The maximum 15 minute TWA  $PM_{10}$  readings at the fenceline and exclusion zone are shown in Table 2. Elevated readings above the Site alarm levels are presented in Table 3, if applicable. PAM 1 and 2 not in use for chromium work in cell 1.

### Summary of the Program-to-Date Integrated Sampling and Continuous Air Monitoring Results

Time integrated sampling results for Total Dust and Hexavalent Chromium (Cr6) are updated every week. The program-to-date average concentrations for the 8-hour integrated Cr6 and Total Dust are shown in Table 4. The program-to-date average real-time  $PM_{10}$  TWA readings are also shown in Table 4 for the same period.

# **Summary of Meteorological Monitoring**

The time series plots of wind speed, temperature, and relative humidity for the report period are shown in **Figure 1**.

### **Summary of the Air Monitoring Locations**

A summary of the air monitoring locations during the report period are shown in Figure 2.

**Table 1: Site Specific Action Levels** 

Alarm Levels	Alert Level (15 minute TWA)	Action Level (15 minute TWA)				
PM <sub>10</sub>	250 μg/m³	333 μg/m³				

Table 2: Weekly Real-Time PM<sub>10</sub> Data Summary (01/07/13 – 01/11/13)

	Fenceline Maximum 15-Minute PM <sub>10</sub> TWA (Action Level = 333 µg/m³)					Exclusion Zone Maximum 15-Minute PM <sub>10</sub> TWA (Action Level = 333 μg/m³)				
Date	FAM 1	FAM 2	FAM 3	FAM 4	FAM 5	PAM 1	PAM 2	PAM 3	PAM 4	
Mon 01/07/12	32.8	26.8	31.6	22.3	31.7	NA	NA	128.1	70.3	
Tue 01/08/13	77.3	94.5	65.3	74.0	73.2	NA	NA	114	375.0	
Wed 01/09/13	149.2	138.2	100.9	131.6	125.5	NA	NA	211.6	219.0	
Thu 01/10/13	10.2	29.4	24.2	113.5	12.8	NA	NA	40.5	54.9	
Fri 01/11/13	15.3	44.4	52.9	14.5	19.7	NA	NA	31.0	88.7	
				Weekly	Statistics					
Weekly Maximum	149.2	138.2	100.9	131.6	125.5	NA	NA	211.6	375.0	
Weekly Average	26.2	59.8	29.3	32.3	24.6	NA	NA	50.2	85.8	

FAM = Fixed Air Monitoring Station

PAM = Portable Air Monitoring Station

PM10 = Respirable Particulate Matter (µg/m³)

 $\mu g/m^3$  = Micrograms per cubic meter

NA = Not Applicable

ND = No Data

- Highlighted concentrations require further analysis based on Site and off Site activities (see the elevated concentration summary report).
- FAM and PAM reported PM10 readings at the fenceline and at the perimeter of the exclusion zone represent 15-minute block averages.

Table 3: Weekly Elevated Readings Report (01/07/13 - 01/11/13)

Parameter	Date	Time	Location	Wind Conditions	Elevated Concentration	Explanation			
Fenceline Air Monitoring (15-Minute Average Readings )									
NA	NA	NA	NA	NA	NA	NA			
Exclusion Zone Air Monitoring (15-Minute Average Readings)									
Dust	01.08.12	1149	PAM 4	SW	375.0	Excessive Calci-met mixing upwind of station. Process stopped and engineering controls started. Next 15 minute average back to typical site standards.			

FAM = Fixed Air Monitoring Station

PAM = Portable Air Monitoring Station

 $PM_{10}$  = Respirable Particulate Matter measured in micrograms per cubic meter ( $\mu g/m^3$ )

NA = Not Applicable

ND = No Data

- FAM reported PM<sub>10</sub> readings represent 15-minute block averages at the fenceline.
- PAM reported PM<sub>10</sub> readings represent 15-minute block averages at the exclusion zone.

<sup>\* 15</sup> minute TWA reading above the site Alert Level.
\* 15 minute TWA reading above the site Action Level

Table 4: Program-to-Date Average Concentrations (01/07/13 – 01/11/13)

	Fenceline Air Sampling Stations					Exclusion Zone Air Sampling Stations			
Program-to-Date Averages	FAM 1	FAM 2	FAM 3	FAM 4	FAM 5	PAM 1	PAM 2	PAM 3	PAM 4
Cr6 Concentration (ng/m³)	8.9	4.2	8.5	4.0	9.3	9.2	8.6	8.7	8.5
Total Dust Concentration (μg/m³)	69.0	44.7	47.9	41.2	47.3	67.5	55.8	59.8	57.5
Real-Time PM <sub>10</sub> TWA (µg/m³)	24.9	36.7	26.6	29.1	25.1	56.4	74.7	50.4	86.2

FAM = Fixed Air Monitoring Station

PAM = Portable Air Monitoring Station

Cr6 = Hexavalent Chromium measured in nanograms per cubic meter (ng/m³)


PM<sub>10</sub> Respirable Particulate Matter measured in micrograms per cubic meter (µg/m³)


NA = Not Applicable


ND = No Data

- FAM/PAM Total Dust and Cr6 results represent time integrated 8-hour concentrations at the perimeter and exclusion zone. Results of the integrated laboratory analysis lag the real time results because of standard laboratory analysis periods (5 days).
- FAM/PAM Real-time PM10 readings represent 15-minute block averages at the fenceline and exclusion zone, respectively.
- Baseline monitoring conducted between July 12 through 16, 2012. Baseline concentrations for Cr6, Total Dust, and PM<sub>10</sub> not included in table.

Figure 1: Meteorological Monitoring Results Summary (01/07/13 – 01/11/13)









Perimeter of the Exclusion Zone Portable Air Monitoring Stations (PAM)



# Fenceline Fixed Air Monitoring Stations (FAM)

Perimeter of the Exclusion Zone Portable Air Monitoring Stations (PAM)